


1. R.C. Roof Slab
2. Average 50mm thk. cement/sand (1:3) base screed to fall 1:200 gradient
3. **NURAPLAN GR 15**, 1.5mm thk. root-resistant p.v.c. waterproofing membrane
4. 50mm thk. **DOW SL-X**, Extruded Polystyrene insulation board
5. **DAKU FSD 20**, -Drainage/Storage Element (65mm thk.)
6. **DAKU** Stabilfilter (230gsm)
7. **DAKU** Substrate planting media (varies from 150mm to 500mm thk.)
8. Plants (by Landscape Architect)



Hitchins TECHNICAL SERVICES

DRAWING TITLE: DAKU GREEN ROOF

DRAWN BY: RAHIMI

DATE: MARCH 2009